



STATE OF MAINE

RADIATION CONTROL PROGRAM

RECIPROCITY REPORTING FORM

NAME OF LICENSEE:		LICENSE NUMBER:	
ADDRESS OF LICENSEE:		STATE:	
		EXPIRATION DATE:	
		TYPE OF REPORT	
		<input type="checkbox"/> INITIAL <input type="checkbox"/> REVISION <input type="checkbox"/> CLARIFICATION	
RSO/CONTACT:		TELEPHONE:	
E-MAIL:		FAX:	
ACTIVITIES TO BE CONDUCTED IN THE STATE			
PORTABLE GAUGES	RADIOGRAPHY	LEAK TESTING AND/OR CALIBRATION	
TELETHERAPY/IRRADIATOR SERVICE	OTHER:(specify)		

PLACE WHERE WORK WILL BE DONE

LOCATION	PEOPLE DOING WORK	ISOTOPE/ACTIVITY	DATES/TIMES OF WORK
----------	-------------------	------------------	---------------------

CLIENT & SPECIFIC LOCATION:			
CLIENT CONTACT & PHONE:			
CLIENT & SPECIFIC LOCATION:			
CLIENT CONTACT & PHONE:			

Send this report so it will arrive at least three (3) working days prior to work commencement to: Radiation Control Program, 11 State House Station , Augusta, Maine 04333-0011. Call (207) 287-5676 with any questions. Fax (207) 287-3059. This form is available on the Web: www.maineradiationcontrol.org

Licensed activity cannot commence until approved by the Agency.

Reporting Official:	Telephone:	Date
<i>Agency Use Only</i>	Authorizing Official:	Signature:
		Date

The Department of Health and Human Services (DHHS) does not discriminate on the basis of disability, race, color, creed, gender, age, or national origin, in admission to, access to or operations of its programs, services, or activities or its hiring or employment practices. This notice is provided as required by Title II of the Americans with Disabilities Act of 1990 and in accordance with the Civil Rights Acts of 1964 as amended, Section 504 of the Rehabilitation Act of 1973 as amended, the Age Discrimination Act of 1975, Title IX of the Education Amendments of 1972 and the Maine Human Rights Act. Questions, concerns, complaints, or requests for additional information regarding the ADA may be forwarded to the DHHS' ADA Compliance/EEO Coordinator, State House Station #11, Augusta, Maine 04333, 207-287-4289 (V) or 207-287 3488 (V), TTY: 800-606-0215. Individuals who need auxiliary aids for effective communication in programs and services of DHHS are invited to make their needs and preferences known to the ADA Compliance/EEO Coordinator. This notice is available in alternate formats, upon request.